



Global Carbon Budget

2013

Contributors 77 people - 46 organisations - 14 countries

Corinne Le Quéré Tyndall Centre for Climate Change Research, Uni. of East Anglia, UK
Glen Peters Center for International Climate & Environmental Research - Oslo (CICERO), Norway
Pep Canadell Global Carbon Project, CSIRO Marine & Atmospheric Research, Australia
Philippe Ciais LSCE, CEA-CNRS-UVSQ, France
Róisín Moriarty Tyndall Centre for Climate Change Research, Uni. of East Anglia, UK
Robbie Andrew Center for International Climate & Environmental Research - Oslo (CICERO), Norway
Pierre Friedlingstein College of Engineering, Mathematics & Physical Sciences, Uni. of Exeter, UK
Bob Andres Carbon Dioxide Information Analysis Center (CDIAC), Oak Ridge National Laboratory, US
Tom Boden Carbon Dioxide Information Analysis Center (CDIAC), Oak Ridge National Laboratory, US
Skee Houghton Woods Hole Research Centre (WHRC), US
Gregg Marland Research Inst. for Environment, Energy & Economics, Appalachian State Uni., US
Stephen Sitch College of Life & Environmental Sciences Uni. of Exeter, UK
Pieter Tans Nat. Oceanic & Atmosphere Admin., Earth System Research Laboratory (NOAA/ESRL), US
Almut Arneth Karlsruhe Inst. of Tech., Inst. Met. & Climate Res./Atmospheric Envir. Res., Germany
Thanos Arvanitis Karlsruhe Inst. of Tech., Inst. Met. & Climate Res./Atmospheric Envir. Res., Germany
Dorothee Bakker School of Environmental Sciences, Uni. of East Anglia, UK
Laurent Bopp LSCE, CEA-CNRS-UVSQ, France
Louise Chini Dept. of Geographical Sciences, Uni. of Maryland, US
Scott Doney Woods Hole Oceanographic Institution (WHOI), US
Anna Harper College of Engineering, Mathematics & Physical Sciences, Uni. of Exeter, UK
Harry Harris Climatic Research Unit (CRU), Uni. of East Anglia, UK
Jo House Cabot Inst., Dept. of Geography, University of Bristol, UK
Atul Jain Dept. of Atmospheric Sciences, Uni. of Illinois, US
Steve Jones Tyndall Centre for Climate Change Research, Uni. of East Anglia, UK
Etsushi Kato Center for Global Envir. Research (CGER), Nat. Inst. for Envir. Studies (NIES), Japan
Ralph Keeling Uni. of California - San Diego, Scripps Institution of Oceanography, US
Kees Klein Goldewijk PBL Netherlands Envir. Assessment Agency & Utrecht Uni., the Netherlands
Arne Körtzinger GEOMAR Helmholtz Centre for Ocean Research, Germany
Charles Koven Earth Sciences Division, Lawrence Berkeley National Lab, US
Nathalie Lefèvre IRD LOCEAN, France
Abdirahman Omar Bjerknes Centre for Climate Research, Norway
Tsuneo Ono Fisheries Research Agency, Japan
Guen-Ha Park East Sea Research Inst. Korea Inst. of Ocean Science & Tech. (KIOST), South Korea
Benjamin Pfeil Geophysical Inst., Uni. of Bergen & Bjerknes Centre for Climate Research, Norway
Ben Poulter LSCE, CEA-CNRS-UVSQ, France
Mike Raupach Global Carbon Project, CSIRO Marine & Atmospheric Research, Australia
Pierre Regnier Dept. of Earth & Environmental Sciences, Uni. Libre de Bruxelles, Belgium

Christian Rödenbeck Max Planck Institute for Biogeochemistry, Germany
Shu Saito Marine Division, Global Environment & Marine Dept., Japan Meteorological Agency
Jörg Schwinger Geophysical Inst., Uni. of Bergen & Bjerknes Centre for Climate Research, Norway
Joachim Segschneider Max Planck Institute for Meteorology, Germany
Beni Stocker Physics Inst., & Oeschger Centre for Climate Change Research, Uni. of Bern, Switzerland
Brönte Tilbrook CSIRO Marine & Atm. Res., Antarctic Cli. & Ecosystems Co-op. Res. Centre, Australia
Steven van Heuven Centre for Isotope Research, Uni. of Groningen, the Netherlands
Nicolas Viovy LSCE, CEA-CNRS-UVSQ, France
Rik Wanninkhof NOAA/AOML, US
Andy Wiltshire Met Office Hadley Centre, UK
Chao Yue LSCE, CEA-CNRS-UVSQ, France
Sönke Zaehle Max-Planck-Institut für Biogeochemie, Germany

Atlas Science Committee / Atlas Engineers (not already mentioned above)

Philippe Peylin | **Anna Perea** | **Patrick Brockmann** | **Vanessa Maigné** | **Pascal Evano**
LSCE, CEA-CNRS-UVSQ, France
Jacques Zegbeu CLIMMOD Engineering SARL, France

Atlas Editorial Board (not already mentioned above)

Owen Gaffney International Geosphere-Biosphere Programme (IGBP), Sweden
Jean-Jacques Goron Foundation BNP Paribas, France
Jay Sterling Gregg Technical University of Denmark, Denmark
Kevin Gurney Arizona State University, US
Rob Jackson Duke University US
Florian Kraxner International Institute for Applied Systems Analysis (IIASA), Austria
Rik Leemans Wageningen University, The Netherlands
Jason Lowe Met Office Hadley Centre, University of Reading, UK
Craig Macaulay Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australia
Asher Minns Tyndall Centre for Climate Change Research, University of East Anglia, UK
James Orr LSCE, CEA-CNRS-UVSQ, France
Chris Sabine National Oceanic and Atmospheric Administration (NOAA), US
Anatoly Schvidenko International Institute for Applied Systems Analysis (IIASA), Austria
Gyami Shrestha Carbon Cycle Science Program Office, US Global Change Research Program, US
Sylvain Taboni Foundation BNP Paribas, Climate Initiative, France
Maciej Telszewski International Ocean Carbon Coordination Project (IOCCP), Poland
Simon Torok CSIRO, Australia
Yoshiki Yamagata Center for Global Envir. Research (CGER), Nat. Inst for Envir. Studies (NIES), Japan

Atlas Designers WeDoData, France

Karen Bastien | **Brice Terdjman** | **Vincent Le Jeune** | **Anthony Vessière**

Publications

Earth Syst. Sci. Data Discuss., 6, 689–760, 2013
www.earth-syst-sci-data-discuss.net/6/689/2013/
doi:10.5194/essdd-6-689-2013
© Author(s) 2013. CC Attribution 3.0 License.


Open Access
Earth System
Science
Data
DISCUSSIONS

This discussion paper is/has been under review for the journal Earth System Science Data (ESSD). Please refer to the corresponding final paper in ESSD if available.

Global carbon budget 2013

C. Le Quéré¹, G. P. Peters², R. J. Andres³, R. M. Andrew², T. Boden³, P. Ciais⁴, P. Friedlingstein⁵, R. A. Houghton⁶, G. Marland⁷, R. Moriarty¹, S. Sitch⁸, P. Tans⁹, A. Arneth¹⁰, A. Arvanitis¹⁰, D. C. E. Bakker¹¹, L. Bopp⁴, J. G. Canadell¹², L. P. Chini¹³, S. C. Doney¹⁴, A. Harper¹⁵, I. Harris¹⁶, J. I. House¹⁷, A. K. Jain¹⁸, S. D. Jones¹, E. Kato¹⁹, R. F. Keeling²⁰, K. Klein Goldewijk²¹, A. Körtzinger²², C. Koven²³, N. Lefèvre²⁴, A. Omar²⁵, T. Ono²⁶, G.-H. Park²⁷, B. Pfleil^{25,28}, B. Poulter⁴, M. R. Raupach¹², P. Regnier²⁹, C. Rödenbeck³⁰, S. Saito³¹, J. Schwinger^{25,28}, J. Segschneider³², B. D. Stocker³³, B. Tilbrook³⁴, S. van Heuven^{35,4}, N. Viovy⁴, R. Wanninkhof³⁶, A. Wilshere³⁷, S. Zaehle³⁰, and C. Yue⁴

Discussion Paper | Discussion Paper | Discussion Paper



The screenshot shows the homepage of the Global Carbon Atlas. At the top, there is a navigation bar with links for HOME, OUTREACH, EMISSIONS, and RESEARCH, along with a search bar. Below the navigation bar, the "GLOBAL CARBON ATLAS" logo is displayed. The main content area is divided into three main sections: OUTREACH, EMISSIONS, and RESEARCH. The OUTREACH section features a "Take a journey through the history and future of human development and carbon" banner with a cityscape background. The EMISSIONS section features a map of the world with black dots representing carbon emissions. The RESEARCH section features a graph showing research carbon data over time and a map of the world with color-coded research data. At the bottom of the page, there are links for "About", "Terms of use", and "A project supported by FONDATION BNP PARIBAS".

Corinne Le Quéré
c.lequere@uea.ac.uk

More information, data sources and data files at
www.globalcarbonproject.org

Philippe Ciais
philippe.ciais@lsce.ipsl.fr

More information, data sources and data files at
www.globalcarbonatlas.org

All the data is shown in GtC

1 Gigatonne (Gt) = 1 billion tonnes = 1×10^{15} g = 1 Petagram (Pg)

1 kg carbon (C) = 3.664 kg carbon dioxide (CO₂)

1 GtC = 3.664 billion tonnes CO₂ = 3.664 PgCO₂

Disclaimer


The Global Carbon Atlas is intended for those interested in learning about the carbon cycle, and how human activities are changing it. The information contained herein is provided as a public service, with the understanding that the Global Carbon Project and the Atlas team make no warranties, either expressed or implied, concerning the accuracy, completeness, reliability, or suitability of the information.

Fossil Fuel and Cement Emissions

Fossil Fuel and Cement Emissions

Global fossil fuel and cement emissions: 9.7 ± 0.5 GtC in 2012, 58% over 1990

- Projection for 2013 : 9.9 ± 0.5 GtC, 61% over 1990



With leap year adjustment: 2012 growth rate is 1.9% and 2013 is 2.4%

Source: [Le Quéré et al 2013](#); [CDIAC Data](#); [Global Carbon Project 2013](#)

Fossil Fuel and Cement Emissions Growth 2012

Emissions growth in 2012 was dominated by China

China was responsible for 71% of the global emissions growth in 2012





Figure shows the top four countries contributing to emissions changes in 2012

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Territorial Emissions as per the Kyoto Protocol


The Kyoto Protocol is based on the global distribution of emissions in 1990

The global distribution of emissions is now starkly different



Top Fossil Fuel Emitters (Absolute)

Top four emitters in 2012 covered 58% of global emissions
China (27%), United States (14%), EU28 (10%), India (6%)




With leap year adjustment in 2012 growth rates are: China 5.6%, USA -4.0%, EU -1.6%, India 7.4%.

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Top Fossil Fuel Emitters (Per Capita)


Average per capita emissions in 2012

China is growing rapidly and the US is declining fast



Annex B versus non-Annex B Countries

Annex B countries have emission reduction commitments in the Kyoto Protocol
Annex B countries do not necessarily have highest economic activity per capita




GDP is measured in Market Exchange Rates

Source: [CDIAC Data](#); [Unstats](#); [Global Carbon Project 2013](#)

Breakdown of Global Emissions by Country

Emissions from developed countries have stabilised or declined

Emissions from developing countries have increased rapidly in recent years




Historical Cumulative Emissions by Country

We moved these figures here because they don't have LUC, but then we have the problem with the time axis...

Cumulative starts in 1750, where should the plot start?

Cumulative emissions (1750-2012) were distributed USA (26%), EU28 (24%), China (11%), India (3%)




Cumulative emissions (1990-2012) were distributed USA (20%), EU28 (15%), China (18%), India (5%)

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Historical Cumulative Emissions by Region

Recent strong emissions growth in developing countries is rapidly increasing their share of cumulative emissions




Emissions from fossil fuel and cement only. Cumulative emissions start in 1750.

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Emissions from Coal, Oil, Gas, Cement

Share of global emissions in 2012:
coal (43%), oil (33%), gas (18%), cement (5%), flaring (1%, not shown)




With leap year adjustment in 2012 growth rates are: coal 2.5%, oil 0.9%, gas 2.2%, cement 2.2%.

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Carbon Intensity of Economic Activity

The global financial crisis of 2008–2009 had no lasting effect on emissions
Carbon intensity has had minimal improvement with increased economic activity since 2005



Key Statistics

Emissions 2012


Region/Country	Per capita tC per person	Total		Growth 2012	
		Gt C	%	Gt C	% per year
Global (with bunkers)	1.4	9.7	-	0.21	2.2
Developed Countries (Annex B)					
Annex B	3.0	3.60	37	-0.058	-1.6
USA	4.6	1.40	14	-0.053	-3.7
Russian Federation	3.4	0.50	5.0	-0.001	-0.2
Japan	2.5	3.40	3.5	0.022	6.9
Germany	2.4	0.20	2.1	0.004	1.8
Canada	4.0	0.14	1.4	-0.001	-0.6
Developing Countries (non-Annex B)					
Non-Annex B	0.9	5.6	57	0.251	4.7
China	1.8	2.6	27	0.146	5.9
India	0.5	0.61	6.3	0.044	7.7
South Korea	3.4	0.17	1.7	0.002	1.1
Iran	2.1	0.16	1.7	0.005	3.1
Saudi Arabia	4.6	0.14	1.4	0.008	5.9
International Bunkers					
Aviation and Shipping	-	0.55	6	0.014	2.5

Observed Emissions versus Emissions Scenarios

Observed Emissions and Emissions Scenarios

The IPCC has been associated with four generations of emission scenarios
 Emissions tracking the higher scenarios

Next two slides will be updated for format and units




Main periods of use: SA90 (1990-1992, not shown), IS92 (1992-2000), SRES (2000-2012), RCPs (2012+)

Source: [Peters et al. 2012a](#); [CDIAC Data](#); [Global Carbon Project 2013](#)

Observed Emissions and Emissions Scenarios

Emissions are on track for 3.2–5.4°C “likely” increase in temperature above pre-industrial
 Large and sustained mitigation is required to keep below 2°C




Linear interpolation is used between individual data points

Source: [Peters et al. 2012a](#); [CDIAC Data](#); [Global Carbon Project 2013](#)

Cumulative Emissions and Scenarios

For a “likely” chance to keep warming less than 2°C since the period 1861–1880, requires cumulative CO₂ emissions to stay below 1000GtC, or 790GtC when allowing for non-CO₂



Cumulative emissions 1870–2013 are 550 ± 60 GtC; 70% from fossil fuels and cement, 30% from land-use change

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)


Consumption-based Emissions

Consumption-based emissions allocate emissions to the location that goods and services are consumed

Consumption-based emissions = Production/Territorial-based emissions minus emissions embodied in exports plus the emissions embodied in imports

Consumption Emissions per the Kyoto Protocol

The net emissions transfers into Annex B countries (black line) more than offsets the Annex B emission reductions achieved within the Kyoto Protocol



In Annex B, production-based emissions have had a slight decrease.


Consumption-based emissions have grown at 0.5% per year, and emission transfers have grown at 12% per year

Source: [Le Quéré et al 2013](#); [Peters et al 2011](#); [Global Carbon Project 2013](#)

Major Flows from Production to Consumption

Start of Arrow: fossil-fuel combustion


End of arrow: goods and services consumption



Values for 2007. EU27 is treated as one region. Units: TgC=GtC/1000

Source: [Peters et al 2012b](#)

Major Flows from Extraction to Consumption




Values for 2007. EU27 is treated as one region. Units: TgC=GtC/1000

Source: [Peters et al 2012b](#)

Alternative Ranking of Countries

Depending on perspective, the importance of individual countries changes



GDP: Gross Domestic Product in Market Exchange Rates and Purchasing Power Parity (PPP)

Source: [CDIAC Data](#); [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Land-Use Change Emissions

Land-Use Change Emissions

Global land-use change emissions are estimated 0.8 ± 0.5 GtC during 2003-2012

The data suggests a general decrease in emissions since 1990




Figure will be updated
with Houghton
previous values
and go back to 1959


2011 and 2012 are extrapolated estimates

Source: [Le Quéré et al 2013](#); Houghton & Hackler (in review); [Global Carbon Project 2013](#)

Total Global Emissions

Total global emissions: 10.5 ± 0.7 GtC in 2012, 43% over 1990

Percentage land-use change: 38% in 1960, 17% in 1990, 8% in 2012




2011 and 2012 are extrapolated estimates

Source: [Le Quéré et al 2013](#); [CDIAC Data](#); Houghton & Hackler (in review); [Global Carbon Project 2013](#)

Total Global Emissions by Source

Land-use change was the dominant source of annual emissions until around 1950
Coal consumption continues to grow strongly




Others: Emissions from cement production and gas flaring. Cumulative emissions start in 1750.

Source: [CDIAC Data](#); Houghton & Hackler (in review); [Global Carbon Project 2013](#)

Historical Cumulative Emissions by Source

Despite reductions in land-use change, it represents about 35% of cumulative emissions in 2012

Coal represents about 31% of cumulative emissions in 2012, oil 23%, gas 9%, and others 2%




Others: Emissions from cement production and gas flaring. Cumulative emissions start in 1750.

Source: [CDIAC Data](#); Houghton & Hackler (in review); [Global Carbon Project 2013](#)

Closing the Carbon Budget

Anthropogenic Perturbation of the Global Carbon Cycle


Perturbation of the global carbon cycle caused by anthropogenic activities, averaged globally for the decade 2003–2012 (GtC/yr)



Source: [Le Quéré et al 2013](#); [CDIAC Data](#); [NOAA/ESRL Data](#); [Global Carbon Project 2013](#)

Global Carbon Budget

Emissions to the atmosphere are balanced by the sinks
Averaged sinks since 1959: 45% atmosphere, 27% land, 27% ocean



Source: [Le Quéré et al 2013](#); [CDIAC Data](#); Houghton & Hackler (in review); [NOAA/ESRL Data](#); [Joos et al 2013](#); [Global Carbon Project 2013](#)

Global Carbon Budget

The cumulative contributions to the Global Carbon Budget from 1750
Contributions are shown in parts per million (ppm)




Figure concept from [Shrink That Footprint](#)

Source: [Le Quéré et al 2013](#); [NOAA/ESRL Data](#); [CDIAC Data](#); Houghton & Hackler (in review); [Global Carbon Project 2013](#)

Fate of Anthropogenic CO₂ Emissions (2003-2012 average)

$8.6 \pm 0.4 \text{ GtC/yr}$ 92%



$0.8 \pm 0.5 \text{ GtC/yr}$ 8%



$4.3 \pm 0.1 \text{ GtC/yr}$

45%



$2.6 \pm 0.8 \text{ GtC/yr}$

27%

Calculated as the residual
of all other flux components








$2.6 \pm 0.5 \text{ GtC/yr}$




Changes in the Budget over Time

The sinks have continued to grow with increasing emissions, but climate change will affect carbon cycle processes in a way that will exacerbate the increase of CO₂ in the atmosphere




Atmospheric Growth

The pre-industrial (1750) atmospheric concentration was around 277ppm
This increased to 393ppm in 2012, a 42% increase



Atmospheric Concentration


The atmospheric concentration growth rate has had a steady increase



Atmospheric Concentration

The atmospheric concentration growth rate has had a steady increase


$4.3 \pm 0.1 \text{ GtC/yr}$ for 2003-2012, $5.2 \pm 0.1 \text{ GtC/yr}$ in 2012



Ocean Sink

Ocean carbon sink continues to increase


$2.6 \pm 0.5 \text{ GtC/yr}$ for 2003-2012, $2.9 \pm 0.5 \text{ GtC/yr}$ in 2012



Terrestrial Sink: Residual

Terrestrial sink from DGVM is consistent from the residual sink estimated from the carbon budget

$2.7 \pm 1.0 \text{ GtC/yr}$ for 2003-2012, $1.7 \pm 1.2 \text{ GtC/yr}$ in 2012




2011 and 2012 are extrapolated estimates

Source: [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

Terrestrial Sink: DGVMs

Residual sink is increasing with time. Large interannual variability

$2.6 \pm 0.8 \text{ GtC/yr}$ for 2003-2012, $2.5 \pm 0.9 \text{ GtC/yr}$ in 2012



DGVM: Dynamic Global Vegetation Model

Source: [Le Quéré et al 2013](#); [Global Carbon Project 2013](#)

References Used in this Presentation

Global Carbon Project (2013) More information, data sources and data files at www.globalcarbonproject.org

C. Le Quéré, G. Peters, R. Andres, R. Andrew, T. Boden, P. Ciais, P. Friedlingstein, R. Houghton, G. Marland, R. Moriarty, S. Sitch, P. Tans, A. Arneth, A. Arvanitis, D. Bakker, L. Bopp, J. G. Canadell, Y. Chao, L. P. Chini, S. Doney, A. Harper, I. Harris, J. House, A. Jain, S. Jones, E. Kato, R. Keeling, K. Klein Goldewijk, A. Körtzinger, C. Koven, N. Lefèvre, A. Omar, T. Ono, G.-H. Park, B. Pfeil, B. Poulter, M. Raupach, P. Regnier, C. Rödenbeck, S. Saito, J. Schwinger, J. Segschneider, B. Stocker, B. Tilbrook, S. van Heuven, N. Viovy, R. Wanninkhof, A. Wiltshire, S. Zaehle (2013) “Global Carbon Budget 2012”, *Earth System Science Data Discussions* (in review), <http://www.earth-syst-sci-data-discuss.net/6/689/2013>, DOI:10.5194/essdd-6-689-2013

T. Boden, G. Marland, R. Andres (2013) “Global, Regional, and National Fossil-Fuel CO₂ Emissions in Trends”, Carbon Dioxide Information Analysis Center (**CDIAC**), http://cdiac.ornl.gov/trends/emis/meth_reg.html, DOI:10.3334/CDIAC/00001_V2013

UN (2013) United Nations Statistics Division <http://unstats.un.org/unsd/default.htm>

G. Peters, R. Andrew, T. Boden, J. Canadell, P. Ciais, C. Le Quéré, G. Marland, M. Raupach, C. Wilson (2012a) “The challenge to keep global warming below 2°C” *Nature Climate Change*, <http://dx.doi.org/10.1038/nclimate1783>, DOI:10.1038/nclimate1783

G. Peters, J. Minx, C. Weber, O. Edelenhofer, O (2011) “Growth in emission transfers via international trade from 1990 to 2008”, *Proceedings of the National Academy of Sciences*, www.pnas.org/content/108/21/8903 DOI:10.1073/pnas.1006388108

G. Peters, S. Davis, R. Andrew (2012b) “A synthesis of carbon in international trade”, *Biogeosciences*, <http://www.biogeosciences.net/9/3247/2012/bg-9-3247-2012.html>, DOI:10.5194/bg-9-3247-2012

F. Joos, R. Roth, J. Fuglestvedt, G. Peters, I. Enting, W. von Bloh, V. Brovkin, E. Burke, M. Eby, N. Edwards, T. Friedrich, T. Frölicher, P. Halloran, P. Holden, C. Jones, T. Kleinen, F. Mackenzie, K. Matsumoto, M. Meinshausen, G.-K. Plattner, A. Reisinger, J. Segschneider, G. Shaffer, M. Steinacher, K. Strassmann, K. Tanaka, A. Timmermann, and A. Weaver (2013) “Carbon dioxide and climate impulse response functions for the computation of greenhouse gas metrics: a multi-model analysis”, *Atmospheric Chemistry and Physics*, <http://www.atmos-chem-phys.net/13/2793/2013/acp-13-2793-2013.html>, DOI: 0.5194/acp-13-2793-2013

R. Houghton and J. Hackler (in review) “Annual Flux of Carbon from Land Use and Land-Cover Change 1850 to 2010”, *Global Biogeochemical Cycles*

E. Dlugokencky and P. Tans (2013) “Trends in Atmospheric Carbon Dioxide”, National Oceanic & Atmosphere Administration, Earth System Research Laboratory (**NOAA/ESRL**), <http://www.esrl.noaa.gov/gmd/ccgg/trends/>

Funding

This work was made possible thanks to support from our home organisations and funding from:

UK Natural Environment Research Council
Norwegian Research Council
US Department of Energy
US National Science Foundation
Australian Climate Change Science Program
European Union Seventh Framework Programme

The Leverhulme Trust, UK
Ministry of Environment of Japan
European Research Council
Swiss National Science Foundation
Mistra-SWEGLIA, Sweden

and from the sponsors of the Global Carbon Project (images clickable):

